



COMPRESSORI SILENZIOSI AUTOMATICI AUTOMATIC SILENT COMPRESSORS

15 A	15 D	15 TC	15 TDC	15 EXPORT A
30/4	30 HA	30 D	30 TC	30 TDC
30/6	30/12	50 D	50 TC	50 TDC
50/9	50/12	50/15	50/24	50 S
100/24	100/50	150/50	200/100	






Costruttore - Manufacturer
WERTHER INTERNATIONAL S.p.A.
via F. Brunelleschi, 12
42040 Cadè (RE) - Italy
Telefono/Phone ++/+522/9431
Fax ++/+522/941997
E-MAIL sales@wertherint.com
WEB <http://www.wertherint.com>

Dati tecnici
Technical data


Modello Model	Volt/Hz 1ph ±10%	KW - AMP	Lt/min. C.F./min	Bar Psi	Lt. Gal.	dB(A)1m dB(A)40"
15 A	230/50	0,13 - 1	17	6	1,5	38
	115/60	0,14 - 1,9	0,72	85	0,4	38
15 D	230/50	0,13 - 1	17	6	4	38
	115/60	0,14 - 1,9	0,72	85	1,05	38
15 TC	230/50	0,13 - 1	17	6	3,5	38
	115/60	0,14 - 1,9	0,72	85	0,9	38
15 TDC	230/50	0,13 - 1	17	6	3,5	38
	115/60	0,14 - 1,9	0,72	85	0,9	38
15 EXPORT A	230/50	0,13 - 1	17	6	1	38
	115/60	0,14 - 1,9	0,72	85	0,26	38
30/4	230/50	0,19 - 1,4	25	8	4	40
	115/60	0,2 - 2,6	1,05	120	1,05	40
30 HA	230/50	0,19 - 1,4	25	8	4	40
	115/60	0,2 - 2,6	1,05	120	1,05	40
30D	230/50	0,19 - 1,4	25	8	4	40
	115/60	0,2 - 2,6	1,05	120	1,08	40
30 TC	230/50	0,19 - 1,4	25	8	3,5	40
	115/60	0,2 - 2,6	1,05	120	0,9	40
30 TDC	230/50	0,19 - 1,4	25	8	3,5	40
	115/60	0,2 - 2,6	1,05	120	0,9	40
30/6	230/50	0,19 - 1,4	25	8	6	40
	115/60	0,2 - 2,6	1,05	120	1,58	40
30/12	230/50	0,19 - 1,4	25	8	6	40
	115/60	0,2 - 2,6	1,05	120	1,58	40
50 D	230/50	0,34 - 2,4	50	8	6	43
	115/60	0,4 - 4,8	2,1	120	1,58	43
50 TC	230/50	0,34 - 2,4	50	8	3,5	43
	115/60	0,4 - 4,8	2,1	120	0,9	43
50 TDC	230/50	0,34 - 2,4	50	8	3,5	43
	115/60	0,4 - 4,8	2,1	120	0,9	43
50/9	230/50	0,34 - 2,4	50	8	9	43
	115/60	0,4 - 4,8	2,1	120	2,37	43
50/12	230/50	0,34 - 2,4	50	8	6	43
	115/60	0,4 - 4,8	2,1	120	1,58	43
50/15	230/50	0,34 - 2,4	50	8	15	43
	115/60	0,4 - 4,8	2,1	120	4	43
50/24	230/50	0,34 - 2,4	50	8	24	43
	115/60	0,4 - 4,8	2,1	120	6,3	43
50 S	230/50	0,34 - 2,4	50	8	10	43
	115/60	0,4 - 4,8	2,1	120	2,64	43
100/24	230/50	0,68 - 4,80	100	8	24	47
	115/60	0,80 - 9,60	4,20	120	6,3	47
100/50	230/50	0,68 - 4,80	100	8	50	47
	115/60	0,80 - 9,60	4,20	120	13	47
150/50	230/50	1,02 - 7,20	150	8	50	49
	115/60	1,20 - 14,40	6,30	120	13	49
200/100	230/50	1,36 - 9,6	200	8	100	49
	115/60	1,6 - 19	8,60	120	26,4	49

Curve volume aria aspirata/pressione

Air intake / pressure curves



Tempi di riempimento

Filling up

Tempi di riempimento del serbatoio da 0 a pressione max.(in secondi) Filling up time of the tank from 0 to max. pressure (in seconds)								
Volt/Hz	Compressori modello: - Compressor model:							
	15 A	15 D	15 TC	15 TDC	15 EXPORT A	30/4	30 HA	30 D
230/50	38	100	88	88	25	94	94	94
115/60	32	85	73	73	20	78	78	78
	30 TC	30 TDC	30/6	30/12	50 D	50 TC	50 TDC	50/9
230/50	82	82	140	140	70	40	40	105
115/60	68	68	115	115	58	33	33	87
	50/12	50/15	50/24	50 S	100/24	100/50	150/50	200/100
230/50	70	175	280	115	160	330	210	350
115/60	58	145	232	96	135	274	174	300
Temperatura Test 20°C					Test temperature 20°C			

Pesi e dimensioni

Weights and dimensions

Pesi lordi e dimensioni imballi dei vari modelli:

Gross weights and packing dimensions of each type of compressor:

Modello Model	15 A	15 D	15 TC	15 TDC	15 EXPORT A	30/4	30 HA	30 D
Peso Weight Kg.	17	20	16	17	14	21	15	22
Dimens. Size cm.	22x46x31	22x43x47	32x38x37	32x38x37	40x20x42	22x44x47	19x45x48	22x43x47
Modello Model	30 TC	30 TDC	30/6	30/12	50 D	50 TC	50 TDC	50/9
Peso Weight Kg.	18	19	18	19	25	21	22	22
Dimens. Size cm.	32x38x37	32x38x37	35x35x48	38x38x44	23x47x47	32x38x37	32x38x37	35x35x48
Modello Model	50/12	50/15	50/24	50 S	100/24	100/50	150/50	200/100
Peso Weight Kg.	24	27	30	28	48	57	73	110
Dimens. Size cm.	38x38x44	38x38x68	42x42x64	39x51x74	80x39x65	91x45x67	91x45x67	147x77x106